REFERENCES

[Beale 1997] Stephen Beale. Hunter-Gatherer: Applying Constraint Satsifaction, Branch-and-Bound and Solution Synthesis to Computational Semantics. Ph. Dissertation, School of Computer Science, Carnegie-Mellon University, 1997.

[Bohnet and Dale 2005] Bernd Bohnet, Robert Dale. Viewing Referring Expression Generation as a Search Problem. Proceedings of the 19th International Joint Conference on Artificial Intelligence, Edinburgh, 2005.

[Carenini and Moore 2006] Guiseppe Carenini and Johanna Moore. Generating and Evaluating Evaluative Arguments. *Artificial Intelligence* 170, pp. 925-952, 2006.

[Carroll et al. 1999] John Carroll, Ann Copestake, Dan Flickinger, and Victor Poznanski. An Efficient Generator for (Semi-)Lexicalist Grammars. In Proc. of the *7th European Workshop on Natural Language Generation*, Toulouse, France, pp. 86-95, 1999.

[Dale 1988]   Robert Dale. Generating Referring Expressions in a Domain of Objects and Processes. PhD Thesis, Centre for Cognitive Science, University of Edinburgh, 1988.

[Dale 1989]   Robert Dale. Cooking up Referring Expressions. Proceedings of the 27th Annual Meeting of the ACL, pp. 68-75, 1989.

[Dale and Haddock 1991]   Robert Dale, Nicolas Haddock. Generating Referring Expressions Involving Relations. Proceedings of the 27th Annual Meeting of the 1991 Meeting of the European Chapter of the ACL, pp. 161-166, 1991.

[Dale and Reiter 1995] Robert Dale and Ehud Reiter. Computational Interpretations of the Gricean Maxims in the Generation of Referring Expressions. *Cognitive Science* 18, pp. 233-263, 1995.

[Dalianis and Hovy 1996] Hercules Dalianis, Eduard Hovy. Aggregation in Natural Language Generation. In G. Adorni, M. Zock (eds.), Trends in Natural Language Generation – An Artificial Intelligence Perspective, pp. 88-105, Springer, 1996.

[Di Eugenio et al. 2005] Barbara Di Eugenio, Davide Fossati, Dan Yu, Susan Haller, and Michael Glass. Natural Language Generation for Tutoring Systems: A Case Study. In Proc. of Artificial Intelligence in Education (AIED05), 2005.

[Elhadad and Robin 1999] Elhadad, Michael/Robin, Jacques. SURGE: A Comprehensive Plug-in Syntactic Realization Component for Text Generation. *Computational Linguistics* 99(4), 1999.

[Elhadad, McKeown and Robin 1999] Michael Elhadad, Kathy McKeown, and Jacques Robin. Floating Constraints in Lexical Choice. *Computational Linguistics*, 1996.

[Gardent 2002] Claire Gardent. Generating Minimal Definite Descriptions. In Proc. of *ACL-*

2002, pp. 96-103, 2002.

[Grote, Stede 1998] Brigitte Grote, Manfred Stede. Discourse Marker Choice in Sentence Planning. In Proc. of the 9th International Workshop on Natural Language Generation, pp. 128-137, 1998.

[Horacek 1998] Helmut Horacek. Generating Inference-Rich Discourse Through Revisions of RST-Trees. In Proc. of *AAAI-98*, pp. 814-820, 1998.

[Horacek 2002] Helmut Horacek. Aggregation with Strong Regularities and Alternatives. Second International Natural Language Generation Conference, 2002.

[Horacek 2003] Helmut Horacek. A Best-First Search Algorithm for Generating Referring Expressions. In Proc. of *EACL'2003*, pp. 206-213, 2003.

[Horacek 2004] Helmut Horacek. On Referring to Sets of Objects Naturally. Third International Natural Language Generation Conference, 2004.

[Horacek 2006] Helmut Horacek. Handling Dependencies in Reorganizing Content Specifications – A Case Study of Case Analysis. *Logic and Computation*, 2006.

[Kay 1996] Martin Kay. Chart Generation. In Proc. of *ACL-96*, Santa Cruz, CA, pp. 200-204, 1996.

[Levelt 1989] W. Levelt. Speaking: From Intention to Articulation. MIT Press, 1989.

[Mann and Moore 1980] Bill Mann, J. Moore. Computer as Author – Results and Prospects.

Research Report ISI/ RR-79-82, University of Southern California, Information Sciences Institute, Marina del Rey, 1980.

[Matthiessen, Thompson 1987] Christian Matthiessen, Sandra Thompson. The Structure of Discourse and Subordination. Technical Report, ISI/RR-87-183, ISI at University of Southern California, 1987.

[Meteer 1992] Marie Meteer. Expressibility and the Problem of Efficient Text Planning. Pinter Publishers, London, 1992.

[Paraboni, van Deemter, and Masthoff 2007] Ivandre Paraboni, Kees van Deemter, and Judith Masthoff. Generating Referring Expressions: Making Referents Easy to Identify. *Computational Linguistics*, 33, 2007.

[Pechmann 1989] Thomas Pechmann. Incremental Speech Production and Referential Over-specification. *Linguistics* 27, pp. 89-110, 1989.

[Poznanski et al. 1995], Poznanski Victor/Beaven, John/Whitelock, Pete. An Efficient Generation Algorithm for Lexicalist MT. In Proc. of ACL-95, Cambridge, Mass., pp. 261-267, 1995.

[Reiter 1990] Ehud Reiter. The Computational Complexity of Avoiding Conversational Impli-catures. In Proc. of *ACL-90*, Pittsburgh, 1990.

[Robin and McKeown 1996] Jacques Robin and Kathleen McKeown. Empirically Designing

and Evaluating a New Revision-Based Model for Summary Generation. *Artificial Intelligence* 85, Special Issue on Empirical Methods, 1996.

[Scott, de Souza 1992] Donia Scott, Clarisse de Souza. Getting the Message Across in RST-Based Text Generation. In *Current Research in Natural Language Generation*, pp. 47-73, Cognitive Science Series, Academic Press, 1992.

[Shaw 1998a] James Shaw. Segregatory Coordination and Ellipsis in Text Generation. In Proc. of the *36th Association for Computational Linguistics and the 17th International Conference on Computational Linguistics*, pp. 1220-1226, Montreal, Canada, 1998.

[Shaw 1998b] James Shaw. Clause Aggregation Using Linguistic Knowledge. In Proc. of the *9th International Workshop on Natural Language Generation*, pp. 18-147, Niagara-on-the-lake, Canada, 1998.

[Shieber et al. 1990] Stuart Shieber, Fernando Pereira, Gertjan van Noord, and Robert Moore. Semantic-Head-Driven Generation. *Computational Linguistics* 16, 30-42, 1990.

[Soricut and Marcu 2006] Radu Soricut, Daniel Marcu. Stochastic Language Generation Using WIDL-Expressions and its Application in Machine translation and Summarization. In Proc. of *ACL-2006*, pp. 1105-1112, 2006.

[van Deemter 2002] Kees van Deemter. Generating Referring Expressions: Boolean Extensions of the Incremental Algorithm. *Computational Linguistics*, 28(1), pp. 37-52, 2002.

[van Deemter 2006] Kees van Deemter. Generating Referring Expressions that Involve Gradable Properties. *Computational Linguistics*, 32, 2006.

[Whitelock 1988] Peter Whitelock. Shake-and-Bake Generation. In Proc. of *COLING* 88, Budapest, 1988.

[White 2004] Michael White. Reining in CCG Chart Generation. Third International Natural Language Generation Conference, 2004.

[White 2006] Michael White. CCG Chart Generation with Disjunctive Inputs. Fourth International Natural Language Generation Conference, Sydney, pp. 12-19, 2006.